Co-authorship and co-occurrences analysis using BibliometrixR package: a case study of India and Bangladesh

Samir Kumar Jalal

Deputy Librarian, Central Library, Indian Institute of Technology (IIT) Kharagpur, Kharagpur-721302. Email: jalalsk1971@gmail.com

Received: 17 July 2018; revised: 20 June 2019; accepted: 25 June 2019

Research collaboration between India and Bangladesh based on research output of 1156 papers jointly produced by both countries were retrieved from Web of Science for the period of 1991 to 2017. The collaboration network on co-authorship and co-occurrences was build using BibliometrixR package. Top ten keywords have been plotted to show the subject trends in general. VOSviewer was used to build network maps to know the collaborative zones with respect to authors, subjects and keywords. The study shows that the major collaborations were in medical science followed by agriculture and biological sciences. The verification of Lotkas's Law was made using lotka() function in Bibliometrix R package. The finding of the study shows that Lotka's law is still valid for the co-authorship data at the international level.

Keywords: Research Collaboration; Bibliometrix R Package; Co-authorship; Co-occurrence analysis; Collaboration Network; India; Bangladesh

Introduction

Research collaboration aims at finding out the similarity between two or more researchers in a discipline or topics of their interests. Various associated aspects of collaboration like types of collaboration¹. factors affecting international collaboration and research relationship² at different levels advocated that co-authorship is not the only factor in determining the collaboration³. International collaborative behavior among scientists reflects that scientists working in the core areas of research have higher international collaboration⁴. The collaboration between China and G7 countries, based on Science Citation Index (SCI), was found to be strong due the proliferation of the growth of science in China⁵.International collaboration pattern by Indian scientists through the analysis of multi-authored publications was conducted through correspondence analysis by Anuradha et al and showed that data set in physics, chemistry, clinical medicine are the first, the second and the third largest subjects respectively having international collaboration⁶. Another study on the international collaboration pattern during 1998-2007 showed that Iranian scientists collaborated with 115 countries and that geosciences had the biggest number of co-authored publications internationally'.

Research collaboration especially at the international level has now-a-days, gaining immense importance due to faster technological change, global

competition and innovation. Chen, Zhang and Fu⁸ reviewed the intellectual base and main research trajectories of the IRC research domain over the period 1957–2015 through co-citation network analysis, main path analysis and bibliographic coupling analysis and found that co-authorship analysis is the main research methods to study research collaboration(RC). But,the geographic, linguistic, political, cultural distances in the context of IRC are more significant than those in other kinds of RC⁹.Research cooperation at the global level among industrialized countries especially in Europe and neighbouring countries was made by Georghiou¹⁰.

Research International Collaboration (IRC) influenced the author to ponder over the issues on how scientists and researchers from India and Bangladesh (being a neighbouring country) work together and collaborate on various subject areas. It would be good to know more about the collaboration pattern between them through publication analysis of author's country affiliation studies. Collaboration between India and Bangladesh may encourage global culture which, in turn, may attract students and researchers and also helps for recruitment. The study explores the possibility of university-institute collaboration and fosters more and more collaborative research.

Co-authorship is not the sole measure in research collaboration because some authors, without any

reason, incorporate the names of other authors and affiliation as a token of love and respect though they may not have contributed anything new to the paper¹¹.Collaboration may be of various types like inter-institutional, inter-country, inter-state and intrainstitutional collaboration. A study on initial-based, heuristic and machine learning approaches was considered to solve the name dis-ambiguity problem while building the co-authorship network¹². Vasantha Kumar, Sendhil kumar and Mahalakshmi¹³ made a survey to showcase various additions to the existing co-authorship networks. Interpretations of the coauthorship networks for the detection of research communities are also studied. Direct citation, cocitation and bibliographic coupling help to analyze and understand the structure of science and thereby to find out the research fronts. Garfield's (1955)¹⁴ article on "Citation Indexes for Science" made it clear that subject indexes could not able to identify the research fronts but could be traced out the historical development of the subject by direct citation analysis, proposed by Garfield (1964)¹⁵.

Co-occurrences are used to understand the underlying patterns of the document set under study. Co-citation, co-word, and co-link studies are the main aspects of co-occurrences in the information sciences. In a large data set, co-occurrences are managed through co-occurrences matrices, which may be of two types: symmetrical and asymmetrical co-citation matrices. In one of the study¹⁶ it is mentioned similarity measures e.g. cosine technique cannot be used in symmetrical co-citation matrix but can be applied to the asymmetrical citation matrix to derive the proximity matrix. Proximity measure indicates how similar of how dissimilar the two objects. White and Griffith(1981)¹⁷ advocated to use first author as unit of analysis in co-citation analysis and named as author co-citation analysis (ACA).

In connection with co-occurrences and co-authorship, several software tools like R, Publish or Perish, Bibexcel, Ucinet, VOSviewer, Pajek, CiteSpace, HistCite, Scholarometer etc., are available for data analysis and visualization. Among these, Bibliometrix R package is very popular open source software package for bibliometric and scientometric analysis and hence, the present study exploited the package.

Objectives of the study

- To study the year-wise growth patterns of international collaboration between India and Bangladesh in the last 27 years;
- To identify the most preferred journals;

- To build authorship network visualizationusing R Programming, VOSviewer and Pajek.
- To build keyword co-occurrences map and keyword growth analysis using Bibliometrix R Package; and
- To find out the main clusters in research collaboration.

Methodology

The study is based on 1156 papers published jointly by authors from affiliated countries of India and Bangladesh during 1991-2017. Data was downloaded from Web of Science on May 25, 2018. Only articles, review, proceedings papers and book chapters have been included. Document types such as editorials, notes and corrections were excluded from the study.

RStudio is free and open source development environment of R and runs on Windows, Linux and other operating system. There are various open source packages available to execute the specific user-driven functions in RStudio. One such package is Bibliometrix R, which is basically developed for bibliometric and scientometric studies. In this study, Bibliometrix package was used for data analysis and interpretation.

Results and discussions

Frequency distribution of publications

Figure 1 shows the growth of joint publications between India and Bangladesh during 1991 to 2017. For convenience, 27 years have been grouped into 5-years span and the rest 2-years span and subsequently average yearly publications has been calculated. Figure1 clearly shows that there is a quantum jump observed in the growth of publications after the year 2012.

Verification of Lotka's Law

Lotka's law shows the relationship between numbers of authors and publications. The number of




Fig.1 — Trend of international collaboration in publications between India and Bangladesh

authors against their publications or contributions was plotted on a logarithmic scale. The general form of Lotka's law is $Y = \frac{C}{X^n}$ where X is the number of publications; and Y is the relative frequency of authors with X publications, and n and C are constant. Using the syntax in R Programming, L=lotka(results), following data have been generated.

For the given data set, the $\beta = 2.277118$, C=1.050457. $R^2 = 0.9467326$ and p value is 0.3364049. The significance of p value is that a small p-value indicates the strong relationship between two variables. Normally, there is an inverse relationship between R² and P-value. The higher R-value and lower p-value indicates that data lies on a straight line. R-square value reflects on how much variation is explained by the model. The Lotka's law was

Table 1 — Number of articles published by number of corresponding authors						
S. No	No. of Articles (X)	No. of Authors (Y)	Frequencies			
1.	1	8396	0.6491417968			
2.	2	1408	0.1088603680			
3.	3	743	0.0574454925			
4.	4	814	0.0629349003			
5.	5	285	0.0220349467			
6.	6	217	0.0167774857			
7.	7	189	0.0146126488			
8.	8	117	0.0090459255			
9.	9	89	0.0068810886			
10.	10	93	0.0071903510			
11.	11	81	0.0062625638			
12.	12	51	0.0039430957			
13.	13	67	0.0051801454			
14.	14	62	0.0047935673			
15.	15	52	0.0040204113			
16.	16	48	0.0037111489			
17.	17	29	0.0022421525			
18.	18	33	0.0025514149			
19.	19	25	0.0019328901			
20.	20	31	0.0023967837			
21.	21	31	0.0023967837			
22.	22	15	0.0011597340			
23.	23	16	0.0012370496			
24.	24	8	0.0006185248			
25.	25	7	0.0005412092			
26.	26	5	0.0003865780			
27.	27	8	0.0006185248			
28.	28	4	0.0003092624			
29.	29	2	0.0001546312			
30.	31	2	0.0001546312			
31.	47	1	0.0000773156			
32.	50	1	0.0000773156			
33.	51	1	0.0000773156			
34.	53	1	0.0000773156			
35.	65	1	0.0000773156			
36.	92	1	0.0000773156			

also found to be re-established for the case of research collaborative works for the authors at the international level.

Preferred journals

Scientists preferred to communicate their research papers in journals like Lancet, PLOS Neglected Tropical Disease, PLOS One, BMC Public Health, Field Crops Research etc.

Country collaboration

The study found that countries like USA, UK, Japan, Australia, Canada, Scotland, Switzerland and Germany are the top collaborating countries between India and Bangladesh with respect to this study.

Top 10 authors

There are 12933 unique authors, who have contributed for collaborating the 1156 articles. The result was reveled using Bibexcel at the time of creation of 'author.out' file. With the help of Bibliometrix R Package and based on full count method, the study revealed that the top five authors having highest publications with joint-institutional affiliations between India and Bangladesh are G.B. Nair (92) from International Centre for Diarrheal Disease Research, Bangladesh, Centre for Health and

Table 2 — Top ten preferred journals								
S.N	Sources/ Jour	No. of Articles						
1.	Lancet				57			
2.	PLOS Negle	cted Tropics	al Diseases		19			
3.	PLOS One				19			
4.	Journal of Cl	inical Micro	obiology	17				
5.	Clinical Infe			15				
6.	BMC Public	Health			14			
7.	Field Crops I	Research			14			
8.	Journal of Medical Microbiology 12							
9.	Vaccine							
10.	Hematology International 11							
Table 3 — Most productive countries (based on corresponding authors)								
S.N	Countries	Articles	Frequency	SCP	MCP			
1.	India	318	0.2765	22	296			
2.	Bangladesh	288	0.2504	38	250			
3.	USA	144	0.1252	0	144			
4.	England	57	0.0496	0	57			
5.	Japan	53	0.0461	0	53			
6.	Australia	33	0.0287	0	33			
7.	Canada	30	0.0261	0	30			
8.	Scotland	24	0.0209	0	24			
9.	Switzerland	19	0.0165	0	19			
10.	Germany	17	0.0148	0	17			
Note: SCP: Single Country Publications; MCP: Multiple Country Publications								

Population Research, Dhaka, Bangladesh and Translational Health Science and Technology Institute. Harvana 122016, India and WHO, South East Asia Registered Off, New Delhi, India; ZA Bhutta (53)being affiliated to more organizations i.e.) The Hospital for Sick Children, The Centre for Global Child Health, Toronto, ON M5G 0A4, Canada; b) University of Toronto, Toronto, ON, Canada; and c) Aga Khan University. Centre of Excellence in Women & Child Health, Karachi, Pakistan; T. Ramamurthy (51) from Translational Health Science and Technology Institute (THSTI), Faridabad, India and Department of Epidemiology, Johns Hopkins Bloomberg School of Public Health, Baltimore, MD, United States; and M. Rahman (50) from International Centre for Diarrheal Disease Research Bangladesh. But if fractionalized method is adopted, the result becomes fundamentally changed i.e. out of top ten (10) authors only four are being placed as top ten authors.

Authorship pattern

Nair GB

Gupta R

Bhutta ZA

Rahman M

Khang YH

Mondal D

Takeda Y

Rahman MM

Sepanlou SG

Ramamurthy T

1.

2.

3.

4.

5.

6.

7.

8.

9.

10.

The function *dominance* calculates the authors' dominance ranking as proposed by Kumar & Kumar¹⁸.Function arguments are: *results* (object of class *bibliometrix*) obtained by *biblioAnalysis*; and k (the number of authors to consider in the analysis). The Dominance Factor (DF) is a ratio

Table 4 — Top ten authors based on articles as whole count and						
fractionalized method						
S.N	Authors	Articles	Authors	Articles		

Nair GB

Islam MS

Takeda Y

Haque R

Ghosh S

Yamasaki S

Rathod HT

Rahman MM

Salimullah M

Ramamurthy T

92

65

53

51

50

47

31

31

29

29

indicating the fraction of multi-authored articles in which a scholar appears as the first author.

DF <-dominance(results, k = 10) and DF (for Print the output)

Figure 2 shows the trend line, which is an inverse relationship between the dominance factor and multiauthored papers. The linear equation: y = -78.37x + 55.28 indicates an inverse relationship between two variables i.e.(x) and multi-authored paper (y) as the value of the co-efficient of x variable is negative.

Although there is an inverse relationship in Figure 2, a few ups and downs with top 10 authors was observed. But, it is quite evident that values of dominances are higher for Rahman MM and Ramamurthy T with respect to their corresponding multi-authored papers.

H-index and g-index

Bibliometric indicators aim to quantitatively determine the impact of research output as measured through scholarly publications. Impact of any research output cannot be measureddirectly.Hirsch¹⁹ had introduced the concept of h-index, which is defined as number of articles h that each articles receives at least h citations. The h-index is an author level metrics.

Another popular bibliometric indicator is g-index, developed by Leo Egg he in 2006²⁰. It is the unique largest number such that top g papers together receive




Table 5 — List of dominance Factor for top 10 authors

Table 5 — List of dominance racior for top To autions							
Author	DF (x)	Multi-authored paper (y)	First Authored	Rank by Articles	Rank by DF		
Nair GB	0.01086957	92	1	1	10		
Gupta R	0.03076923	65	2	2	9		
Yamasaki S	0.03571429	28	1	9	8		
Ramamurthy T	0.03921569	51	2	4	7		
Rahman M	0.06000000	50	3	5	6		
Murray CJL	0.07142857	28	2	8	5		
Bhutta ZA	0.07547170	53	4	3	4		
Mondal D	0.12903226	31	4	7	3		
Haque R	0.25925926	27	7	10	2		
Rahman MM	0.31914894	47	15	6	1		
	Nair GB Gupta R Yamasaki S Ramamurthy T Rahman M Murray CJL Bhutta ZA Mondal D Haque R	AuthorDF (x)Nair GB0.01086957Gupta R0.03076923Yamasaki S0.03571429Ramamurthy T0.03921569Rahman M0.06000000Murray CJL0.07142857Bhutta ZA0.07547170Mondal D0.12903226Haque R0.25925926	AuthorDF (x)Multi-authored paper (y)Nair GB 0.01086957 92Gupta R 0.03076923 65Yamasaki S 0.03571429 28Ramamurthy T 0.03921569 51Rahman M 0.06000000 50Murray CJL 0.07142857 28Bhutta ZA 0.07547170 53Mondal D 0.12903226 31Haque R 0.25925926 27	AuthorDF (x)Multi-authored paper (y)First AuthoredNair GB0.01086957921Gupta R0.03076923652Yamasaki S0.03571429281Ramamurthy T0.03921569512Rahman M0.06000000503Murray CJL0.07142857282Bhutta ZA0.07547170534Mondal D0.12903226314Haque R0.25925926277	AuthorDF (x)Multi-authored paper (y)First AuthoredRank by ArticlesNair GB0.010869579211Gupta R0.030769236522Yamasaki S0.035714292819Ramamurthy T0.039215695124Rahman M0.060000005035Murray CJL0.071428572828Bhutta ZA0.075471705343Mondal D0.129032263147Haque R0.2592592627710		

Fractionalized

10.80

6.68

5.41

5.05

4.71

3.58

3.57

3.30

3.25

3.22

 g^{2} or more citations. It is true that g is greater than or equal to h and i (i.e. $g \ge h > i$). The concept of successive g-index was proposes by Tol²¹. Mathematically, g-index may be written as: $g2 = \sum_{i \le g}^{n} ci$.From BibliometrixR Package, following R Chunk are used to calculate h-index, g-index, m-index etc.

>authors=gsub(","," ",names(results\$Authors)[1:10])
>indices<- Hindex(M, authors, sep = ";",years=50)
>indices\$H

Network analysis

Network approach is widely used technique in bibliometric and scientometric studies. The important techniques are co-authorship studies and building the co-citation map.

Co-authorship and co-citation map

VOSvieweris used to create co-authorship, keyword co-occurrences, citations, bibliographic coupling or co-citation map based on bibliographic data. The supported file formats are .txt or .ris or .csv from the database like web of Science, Scopus and PubMed. It is also possible to create term cooccurrences map based on text data. The question is how to handle large amount of data from Web of Science (WoS) because WOS has a limitations to download only 500 records. There may be multiple files containing 500 or less number of records in each file. All such files are to be merged using 'copy' command in DOS-prompt to create a single file, which may be used for network analysis and building network graph. The co-authorship network graph has been built using VOSviewer software as shown in Figure 3.

Association strength network approach has been applied while constructing the network graph. It has been seen from the above graph that there are predominantly three clusters with total 500 authors distributed in three clusters namely claster-1with red colour having 294 authors, cluster-2 having green colour having 202 authors and cluster-3 with blue colour having 4 authors. Co-authorship analysis was performed based on full counting method using VOSviewer where unit of analysis is author. Articles




Fig. 3 — Co-authorship network based on available data using VOSviewer

having more than 25 authors have been ignored for analysis. Minimum number of documents for an author should 5 and minimum citation of an author should be 5. Based on this threshold, for each of the 293 authors, the total strength of co-authorship links with other authors was automatically calculated through VOSviewer software and network graph was generated. Thresholds helps to restrict to choose the number of nodes based on citations received. Fazli studied co-authorship patterns and topic networks using the threshold 5:5:20 (citation: co-citation: cocitation cosine coefficient)²².

The major subjects under collaboration between authors from India and Bangladesh are: a) Public environmental and occupational health (110 papers), medicine general (106), microbiology (101), infectious disease (99), environmental sciences (90), immunology plant sciences (59), Engineering (71).(50). multidisciplinary (48), agronomy (48) and others. Some funding agencies Bill Melinda are Gates Foundation, National Institutes of Health Fogarty International Center, Medical Research Council, National Institute of Health, Population Health Research Institute, Welcome Trust, Glaxo Smithkline etc.

Keyword analysis and building co-occurrences map

Table 7 explains the most relevant top ten author keywords using the summary syntax.

Keyword co-occurrences analysis has also been conducted using VOSviewer technique by importing the raw file and generating the map as shown Figure 4.

Table 6 — Bibliometric indicators							
S.N	Author	h_index	g_index	m_index	Article	TC	NP
1.	Nair GB	41	67	1.640000	92	5672	164
2.	Ramamurthy T	28	64	1.120000	51	4280	81
3.	Takeda Y	24	44	0.960000	29	2027	51
4.	Yamasaki S	22	34	1.157895	28	1262	51
5.	Bhattacharya SK	24	41	1.142857	27	1762	44
6.	Rahman MM	24	41	0.960000	47	1894	41
7.	Faruque SM	20	38	1.052632	23	1463	39
8.	Alam MM	18	32	1.200000	19	1028	32
9.	Datta S	19	28	1.000000	19	967	49
10.	Chakraborti D	25	31	1.136364	25	2328	31




Fig. 4 - Keyword co-occurrences analysis based on WoS data using VOSviewer

]	Table 7 — Top ten author keywords and Index-keywords							
S.N	Author Keywords (DE)	Articles	Keywords-Plus (ID)	Articles				
1.	Bangladesh	56	Bangladesh	100				
2.	Asia	22	India	84				
3.	India	21	Children	62				
4.	South Asia	20	Mortality	45				
5.	Rice	14	Prevalence	42				
6.	Epidemiology	11	Strains	40				
7.	Vibrio cholerae	11	Disease	39				
8.	Cholera	10	Developing- Countries	35				
9.	Diarrhea	10	Growth	35				
10.	Visceral	10	Management	3				
	Leishmaniasis							

There are 857 items distributed over seven clusters: cluster-1(198 items), cluster-2(186), cluster-3(149), cluster-4(113), cluster-5(104), cluster-6(62), and cluster-7(45). Keyword analysis was made by executing the R chunk like installing "reshape2" and "ggplot2 utilities of R-programming.

Conclusion

Co-authorship and co-occurrences analysis are two important areas in research collaboration not only at the individual level but also at the country level. The scientific collaboration between India and Bangladesh has been analyzed quantitatively and graphically from different perspectives based on their publication data. The result of the coauthorship study showed that there was a sharp increase in the growth of research publications between India and Bangladesh since 2012. Keyword co-occurrences analysis and its growth pattern based on Web of Science (WoS) have been focused and found a steady growth. Collaborative research studies between these two countries have keywords such as mortality, strain, prevalence, diseases, etc., as the leading keywords. The result of the study also found that there is an inverse relationship between the dominance factor and multi-authored papers between India and Bangladesh.

Acknowledgements

Author is very much grateful to the anonymous reviewers for their valuable inputs that helped me to further enhance the quality of the research work.

References

1 Subramanyam K, Bibliometric studies of research collaboration: a review, *Journal of Information Science*, 6(1) (1983) 33–38.

- 2 Stead GB and Harrington T F, A process perspective of international research collaboration, *The Career Development Quarterly*, 48(2000) 323–331.
- 3 Katz J S and Martin B R, What is research collaboration? *Research Policy*, *26* (1997)1–18.
- 4 Davidson F J and Carpenter M P, International research collaboration, *Social Studies of Science*, 9(4) (1979) 481–497. Available at: https://doi.org/10.1177/ 030631277900900405(Accessed on 28th June 2019).
- 5 He T, International scientific collaboration of China with the G7 countries, *Scientometrics*, 80(3) (2009) 571–582. Available at: https://doi.org/10.1007/s11192-007-2043-y (Accessed on 7th April 2019).
- 6 Anuradha K T and Urs S R, Bibliometric indicators of Indian research collaboration patterns: A correspondence analysis, *Scientometrics*, 71(2) (2007) 179–189.
- 7 Hayati Z and Didegah F, International scientific collaboration among Iranian researchers during 1998-2007, *Library Hi Tech*, 28(3) (2010) 433–446.
- 8 Chen K, Zhang, Y and Fu X, International research collaboration: An emerging domain of innovation studies? *Research Policy*,48 (2019)149–168.
- 9 Fu X and Li J, Collaboration with foreign universities for innovation: evidence from Chinese manufacturing firms,*International Journalof Technology* Management, 70(2-3) (2016)193-217.
- 10 Georghiou L, Global cooperation in research, Research Policy, 27(1998)611-626.
- 11 Kim KW, Measuring international research collaboration of peripheral countries: taking the context into consideration, *Scientometrics*,66 (2006) 231–240.
- 12 Savić M, Ivanović M and Jain LC, Analysis of co-authorship networks, *Intelligent Systems Reference Library*, 148 (2019).
- 13 Kumar V V, Sendhilkumar S and Mahalakshmi GS, A power-graph based approach to detection of research communities from co-Authorship networks, *Journalof Computational and Theoretical Nanoscience*, 14(12) (2017), 5686–5695.
- 14 Garfield E, Citation indexes for science: a new dimension in documentation through association of ideas, *Science*, 80(122) (1955) 108–111.
- 15 Garfield E, Science Citation Index-a new dimension in indexing, *Science New Series*, 144 (1964) 649–654.
- 16 Leydesdorff L and Vaughan L, Co-occurrence matrices and their applications in information science: Extending ACA to the Web environment, *Journal of American Society of Information Science* & *Technology*, 57 (2006) 1616–1628.
- 17 White H D and Griffith B C, Author cocitation: A literature measure of intellectual structure, *Journal* of the Associationfor Information Science and Technology, 32(3)(1981) 163–171.
- 18 Kumar S and Kumar S, Collaboration in Research Productivity in Oil Seed Research Institutes of India,In Fourth International Conference on Webometrics, Informetrics and Scientometrics & Ninth COLLNET Meeting Humboldt- Universitat zu Berlin, Institute for Library and Information Science (IBI) (ed. H. Kretschmer & F. Havemann (Eds)) 1–18 (2008).
- 19 Hirsch JE, An index to quantify an individual's scientific research output. *Proceedings of the National Academy of Science*, 102 (2005)16569–16572.

- 20 Egghe L, Theory and practice of the g-index, *Scientometrics*,69(2006) 131–52.
- 21 Tol RSJ, A rational, successive g-index applied to economics departments in Ireland, *Journal of Informetrics*, 2(2) (2008) 149–155.
- 22 Fazli F, Karimi M and Hamzehei R, Co-authorship patterns and topic networks in the scientific publication of Hamadan University of Medical Sciences,*Library Philosophyand Practice*, (2018). Available at:https://digitalcommons.unl.edu/ cgi/viewcontent.cgi?article=5124&context=libphilprac (Accessed on 28th June 2019).