

Supplementary Information

Ru(II)/PEG-400: A green synthesis of indolyl-oxindoles and indolyl-cyclohexane-dione hybrids as potential antimicrobial agents

Shaila S Wagh^a, Arvind M Patil^b & Hanmant M Kasralikar^{c,*}

^aDepartment of Chemistry, Adarsh College, Hingoli, Maharashtra 431 513, India

^bSPHJ Science College, Chandwad, Maharashtra 433 109, India

^cDepartment of chemistry, L. B. S. Mahavidyalaya, Dharmabad, Maharashtra 431 809, India

*E-mail: kasralikerhm1979@gmail.com


General Details

All solvents were used as commercial anhydrous grade without further purification. Aluminium sheets 20 x 20cm, Silica gel 60 F₂₅₄, Merck grade was used for thin layer chromatography to determine progress of reaction. Melting points were determined in open capillary tube and are uncorrected. IR, ¹H and ¹³C-NMR spectra were recorded on a Brucker AV-300 MHz and 75MHZ spectrometer in CDCl₃, solvent. Mass spectra were taken on Polaris-Q Thermoscientific MS. Characterization of Synthesised compounds

- 1) IR, ¹HNMR, ¹³C-NMR, MS Spectra for 3a
- 2) ¹HNMR, ¹³C-NMR, MS Spectra for 3b
- 3) IR, ¹HNMR, ¹³C-NMR, MS Spectra for 3c
- 4) ¹HNMR, ¹³C-NMR, MS Spectra for 3d
- 5) ¹HNMR, ¹³C-NMR, MS Spectra for 3h
- 6) ¹HNMR, ¹³C-NMR, MS Spectra for 3i
- 7) ¹HNMR, ¹³C-NMR, MS Spectra for 3j

1) IR, ^1H NMR, ^{13}C -NMR, MS Spectra for 3a


IR of 3a




^1H NMR of

3a

C/1, 1H-CDCl₃..
130414007




13C NMR of 3a



MS Of 3a


Sample Name: 3A (+ve mode)
Acq. Date: June 2020
Acq. File: A3_12062014.wiff

Acq. Time: 11:08




Sample Name: 3A (-ve mode)
Acq. Date: Thursday, June 2020
Acq. File: A3_12062014.wiff

Acq. Time: 11:11



¹HNMR of 3b


C/1, ¹H-CDCl₃
130414006



¹³C-NMR of 3b


B6, ¹³C-CDCl₃
011014001

Instrument ID:Bruker AV II/300MHz/Top spin 2.1




MS of 3b

Sample Name: 3b (+ve mode)
 Acq. Date: June 2020
 Acq. File: 3b_1206_14.wiff
 Acq. Time: 11:24




Sample Name: 3b (-ve mode)
 Acq. Date: Thursday, June 2020
 Acq. File: 3b_12062014.wiff

Acq. Time: 11:26




IR Of 3c




¹HNMR of 3c

C/3, 1H-CDCl₃,
130414030



¹³C-NMR of 3c


3c, ¹³C-CDCl₃
120614006



MS of 3c


Sample Name: 3c (+ve mode)
Acq. Date: June 2010
Acq. File: 3c_12122124.wiff

Acq. Time: 11:14




Sample Name: 3c (-ve mode)
Acq. Date: June 2010
Acq. File: 3c_12142014.wiff

Acq. Time: 12:16




¹H NMR of 3d

C/4, 1H-CDCl₃
130414014




¹³CNMR of 3d

A3, 13C-CDCL3
120614064




MS of 3d

Sample Name: 3d (+ve mode)
Acq. Date: June 2020
Acq. File: 3d_12062014.wiff
Acq. Time: 11:08




Sample Name: 3d (-ve mode)
Acq. Date: June 2020
Acq. File: 3d_12062014.wiff

Acq. Time: 11:11




IR Of 3h



¹H-NMR of 3h


C/1,1H-CDCl₃
130414304



¹³C-NMR of 3h

A6,13C-CDCl₃
011014004


Instrument ID:Bruker AV II/300MHz/Top spin 2.1



MS of 3h


Sample Name: 3h (+ve mode)
Acq. Date: June 2020
Acq. File: 3h_12062062.wiff

Acq. Time: 11:4




Sample Name: 3j (-ve mode)
Acq. Date: June 2020
Acq. File: 3j_12062064.wiff


Acq. Time: 11:06



¹H NMR of 3i



¹³C NMR of 3i




MS of 3i

Sample Name: 3i (+ve mode)

Acq. Date: June 2020

Acq. File: 3i_1_62014.wiff

Acq. Time: 11:24




Sample Name: 3i (-ve mode)

Acq. Date: June 2020


Acq. File: 3i_12062014.wiff

Acq. Time: 11:24




¹H NMR of 3J

A4, 1H-CDCl₃
100514007



¹³C-NMR of 3j


A3, 13C-CDCL3
120614007



MS of 3J

Sample Name: 3J (+ve mode)
Acq. Date: June 2020
Acq. File: 3J_12062006.wiff

Acq. Time: 12:08



Sample Name: 3J(-ve mode)
Acq. Date: June 2020
Acq. File: 3J_12062012.wiff

Acq. Time: 11:21

