

Supplementary Information

A novel approach to determine anti-proliferative, anti-migratory and anti-microbial properties of 2-phenylethylammonium carboxylate molecular salts

Hüseyin Akbaş^{a,*}, Seçil Erden Tayhan^b & Sema Bilgin^c

^aTokat Gaziosmanpaşa University, Science and Arts Faculty, Department of Chemistry, Tokat, Turkey

^bTokat Gaziosmanpaşa University, Faculty of Engineering and Architecture, Department of Genetic and Bioengineering, Tokat, Turkey

^cTokat Gaziosmanpaşa University, Tokat Health Services Vocational School, Department of Medical Services and Techniques, Tokat, Turkey

*E-mail: huseyin.akbas@gop.edu.tr

S. No.	Contents	Pg. No.
1	Fig. S1 — FTIR spectrum of 1	2
2	Fig. S2 — FTIR spectrum of 2	2
3	Fig. S3 — FTIR spectrum of 3	2
4	Fig. S4 — FTIR spectrum of 4	3
5	Fig. S5 — ¹ H NMR spectrum of 1	3
6	Fig. S6 — ¹ H NMR spectrum of 2	4
7	Fig. S7 — ¹ H NMR spectrum of 3	5
8	Fig. S8 — ¹ H NMR spectrum of 4	6
9	Fig. S9 — ¹³ C NMR spectrum of 1	7
10	Fig. S10 — ¹³ C NMR spectrum of 2	8
11	Fig. S11 — ¹³ C NMR spectrum of 3	9
12	Fig. S12 — ¹³ C NMR spectrum of 4	10




Fig. S1 — FTIR spectrum of 1




Fig. S2 — FTIR spectrum of 2




Fig. S3 — FTIR spectrum of 3




Fig. S4 — FTIR spectrum of 4




Fig. S5 — ^1H NMR spectrum of 1




Fig. S6 — ^1H NMR spectrum of **2**




Fig. S7 — ^1H NMR spectrum of **3**




Fig. S8 — ^1H NMR spectrum of **4**




Fig. S9 — ^{13}C NMR spectrum of **1**




Fig. S10 — ^{13}C NMR spectrum of **2**




Fig. S11 — ^{13}C NMR spectrum of 4




Fig. S12 — ^{13}C NMR spectrum of 4