

Supplementary Information

Silica sulfuric acid catalyzed green synthesis of 1,2- dihydro-1-aryl naphtho[1,2-*e*][1,3]-oxazin-3-one and 1,2- dihydro-1-methyl naphtho[1,2-*e*][1,3]-oxazin-3-one as potent antibacterial agents

Betokali K Zhimomi^a, Putusenla Imchen^a, Metsütu Thurr^a, Lensayula^a, Shokip Tumtin^b & Tovichu Phucho^{*a}

^aDepartment of Chemistry, Nagaland University, Lumami 798 627, Zunheboto, India

^bDepartment of Chemistry, Kirorimal College, University of Delhi, North Campus, University Enclave, Delhi 110 007, India

E-mail: itphucho@nagalanduniversity.ac.in

Received 27 February 2020; accepted (revised) 2 March 2021


Captions:

1. Materials and method
2. ¹H-NMR spectra of compound 4a:
3. ¹³C-NMR spectra of compound 4a
4. Mass Spectra of compound 4a
5. ¹H-NMR spectra of compound 4d
6. ¹³C-NMR spectra of compound 4d
7. Mass Spectra of compound 4d
8. ¹H-NMR spectra of compound 4e
9. ¹³C-NMR spectra of compound 4e
10. Mass Spectra of compound 4e
11. ¹H-NMR spectra of compound 4h
12. ¹³C-NMR spectra of compound 4h
13. Mass Spectra of compound 4h
14. ¹H-NMR spectra of compound 4j
15. ¹³C-NMR spectra of compound 4j
16. Mass Spectra of compound 4j
17. Mass Spectra of compound 4m
18. Mass Spectra of compound 4n
19. FTIR Spectra of Silica Sulfuric Acid
20. FTIR Spectra of Silica gel

Materials and methods:


All reagents were purchased from Merck and used without purification. Reactions were carried out in Microwave Digester (Anton paar Monowave 400). Completion of the reaction and purity of compounds were checked on Aluminum coated TLC plates [60 F245 (E. Merck)]. n-hexane: ethyl acetate (3:2 V/V) used as mobile phase and it is visualized in UV chamber. Melting points were measured on Ikon melting point apparatus and compared with reported values of known compounds. IR spectra were recorded on FTIR spectrometer (Perkin Elmer 1725X, Model: Spectrum Two FT-IR). Mass spectra were recorded on mass spectrophotometer (Advion expressions). NMR spectra were recorded with a Bruker spectrometer at 400 MHz (^1H NMR) and at 100 MHz (^{13}C NMR) in CDCl_3 as solvent and with TMS as internal standard; and chemical shifts are expressed as δ /ppm.

^1H -NMR spectra of compound 4a




¹³C-NMR spectra of compound


4a:




Mass Spectra of compound 4a:



1H-NMR spectra of compound
4d:




13C-NMR spectra of compound 4d:




Mass Spectra of compound
4d:

Data Express Report




Time (Peak Maximum M:S/Minutes)	Maximum Intensity (c/s)	Time (Peak Centroid M:S/Minutes)	Peak Area	% Peak Area	Peak Resolution	Base Peak Mass (m/z)	Label
0.10	5.4E8	0.10	1.1E9	0.0	3.7	79.2	
4.95	1.4E11	5.01	1.3E13	100.0	60.6	306.1	

Data Express Report




1H-NMR spectra of compound

4e:




¹³C-NMR spectra of compound


4e:




Mass Spectra of compound
4e:



1H-NMR spectra of compound
4h




¹³C-NMR spectra of compound4h



Mass Spectra of compound
4h

Data Express Report


TIC
b8_Scan1_is1 2019.10.23 15:01:05 ;
APCI + Max: 1.7E10



Time (Peak Maximum M:S/Minutes)	Maximum Intensity (c/s)	Time (Peak Centroid M:S/Minutes)	Peak Area	% Peak Area	Peak Resolution	Base Peak Mass (m/z)	Label
0.37	4E9	0.37	6.8E9	100.0	1.6	282.9	


Data Express Report

Spectrum RT 0.31 - 0.44 (7 scans)
b8_Scan1_is1 2019.10.23 15:01:05 ;
APCI + Max: 7.7E8




1H-NMR spectra of compound


4j:




13C-NMR spectra of compound 4j:



Mass Spectra of compound
4j:




Time (Peak Maximum M:S/Minutes)	Maximum Intensity (c/s)	Time (Peak Centroid M:S/Minutes)	Peak Area	% Peak Area	Peak Resolution	Base Peak Mass (m/z)	Label
0.31	1.9E8	0.32	7E8	0.5	2.0	300.2	
1.14	3.7E9	1.16	1.3E11	98.8	23.7	312.0	



Mass Spectra of compound
4m:

Data Express Report


Intensity
TIC
f1_Scan1.js1 2021.02.10 12:50:12 ;
APCI +



Time (Peak Maximum M:S/Minutes)	Maximum Intensity (c/s)	Time (Peak Centroid M:S/Minutes)	Peak Area	% Peak Area	Peak Resolution	Base Peak Mass (m/z)	Label
0.68	5.5E9	0.68	1.5E11	100.0	2.5	265.9	

Data Express Report

Intensity
Spectrum RT 0.65 - 0.75 (5 scans)
f1_Scan1.js1 2021.02.10 12:50:12 ;
APCI + Max: 3.5E8




1. Mass Spectra of compound

4n:



FTIR Spectra of

Silica



FTIR Spectra of Silica gel

